

Colorectal cancer screening saves lives!

Most deaths from colorectal cancer are preventable.


- Removing polyps prevents cancer.
- Finding cancer early saves lives.

You can help decrease colorectal cancer!

- Get screened.
- Urge friends and family to get screened.

Who needs screening, and what kind?

- 61% of people who get colorectal cancer have *no family history*.
- People at average risk, age 50 to 75:
(*these tests save the same number of years of life*)
 - Colonoscopy every 10 years or
 - Sigmoidoscopy every 5 years, with home stool test at 3 years or
 - Home stool test every year
- People with a family history or otherwise at high risk may need to start screening earlier.
- African Americans have a higher risk than Whites of getting colorectal cancer and precancerous polyps.
- Ask your primary care provider about the best screening program for you.



**Ask your doctor if it's time to get screened, and then do it—
for yourself and the people you care about.**

Developed through an Oregon Department of Human Services contract, funded by the Centers for Disease Control and Prevention.

This material is distributed by Acentra Health, Oregon's Medicare Quality Improvement Organization, under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services. The contents presented do not necessarily reflect CMS policy. 9SOW-OR-PREV-10-02 3/23/10